

ALKON[®]

MATERIAL HANDLING - ESD - OFFICE PRODUCTS

Increasing productivity & Optimizing Space



AUTHORISED STOCKIST Shop - 1, Gagangiri, Sector 17,
Vashi, Navi Mumbai - 400 703.
Shreeram
metafusion
Eng's Pvt. Ltd. Email : metafusion@vsnl.net
enquiry@shreeram-metafusion.com
For Product Details log on to www.shreeram-metafusion.com

CAT- 2013

PROTECT ELECTRO STATIC SENSITIVE DEVICES

ABOUT ELECTROSTATIC DISCHARGE (ESD)

To a greater or lesser extent all contact between objects, every separation of one item from another, each sliding of one thing on another, causes a disturbance of electrical charge. When charge disturbance take place faster than charge redistribution, static charge accumulates. ESD occurs where charges of different electrostatic potentials meet. The flow of electrons is usually sudden and releases energy that can damage electrostatic sensitive devices (ESDs)

This is referred to as tribo electric generations.

Static charges of upto 30000 volts are not uncommon and can be generated by the simple act of walking across a floor, yet a discharge of only 10 volts can destroy a class 1 ESD sensitive device.

A material that inhibits the generation of tribo electric generation is classified as anti static. An anti static material can be conductive (10^3 - 10^5 ohms/sq), static dissipative (10^6 - 10^9 ohms/sq), antistatic (10^{10} - 10^{12} ohms/sq) or even insulative (greater than 10^{12} ohms/sq)

Only conductive or static dissipative anti static material should be used in ESD protected areas .


10^3 10^4 10^5 <hr/> CONDUCTIVE	10^6 10^7 10^8 10^9 <hr/> STATIC DISSIPATIVE	10^{10} 10^{11} 10^{12} <hr/> ANTI STATIC	10^{13} <hr/> INSULATIVE
--	---	--	-------------------------------

ALKON uses special blended imported raw material to produce permanent ESD Safe Products like different sizes of bins, trays, containers, component organizers, cabinets, PCB carriers, Component Shelving System etc.





ALCON introduces a wide range of fixed and adjustable PCB Carriers to stack and store or transport your PCB's. They are the most modern designed carriers available. They are manufactured in both Conductive and Non-conductive plastic and can handle all sizes of PCB's.



Conductive Adjustable PCB Carrier NO. 5

Non Conductive Adjustable PCB Carrier NO.5



Multi Use



Non Conductive Adjustable PCB Carrier No.6

CONDUCTIVE AND NON CONDUCTIVE ADJUSTABLE PCB CARRIERS

ALCON adjustable PCB Carriers can be used for protection of boards during storage or transport in assembly line or integrate with automatic component insertion machines. They can be stacked one on each other. Each PCB Carrier has distinctly numbered on white background, 31 slots which can hold a maximum of 31 PCB's. Special Aluminium Guides have a unique design which remains Flush with PCB Carriers. They help in adjusting the width as per the Size of PCB,s Three lengths of aluminium guides are available i.e. 253 mm, 353mm and 553mm

ADJUSTABLE PCB CARRIER NO.: 5

Useful for small to medium Boards

Size of sides 350mm x 105mm

Use different size of Aluminium guides to make the configuration as per the size of PCB.

Conductive Adjustable PCB Carrier NO.: 5

Set of 2 pcs. - Colour Black

Art No.: APCR5 - C

Non Conductive Adjustable PCB Carrier NO.: 5

Set of 2 pcs. - Colour Grey

Art No.: APCR5 - N

Order aluminium guides separately.

MULTI USE

Different sizes of PCB's can be fitted in two PCB Carriers as shown in the picture

ALUMINIUM GUIDES

Three Standard lengths Aluminium anodized guides are available Longer lengths useful for handling different sizes of PCB's are available on request.

LENGTH

253 mm Set of 2 pcs. Art No.: APCRG -2

353 mm Set of 2 pcs. Art No.: APCRG -3

553 mm Set of 2 pcs. Art No.: APCRG -5

ADJUSTABLE PCB CARRIER NO.: 6

Useful for medium sized Boards

Size of sides 350 mm x 210 mm

2 Sets of Aluminium guides are required for Carrier No. 6

Conductive Adjustable PCB Carrier No.: 6

Set of 2 pcs. - Colour Black .

Art No.: APCR6 - C

Non Conductive Adjustable PCB Carrier No.: 6

Set of 2 pcs. - Colour Grey .

Art No.: APCR6 - N

Order Aluminium guides separately.



Non Skid Fitting

NON SKID FITTING

Non Skid fitting available to fit at the bottom on Aluminum guides to keep the PCB carriers at a taper for horizontal storage of PCB's.
Set of- 2 pcs.
Art No.: NSF

CARRY HANDLE


Carry handle can be provided to carry the PCB's in horizontal position in the racks.
Handle 1 pc.
Art No.: PCB-H



Conductive & Non Conductive
Fixed PCB Carriers

CONDUCTIVE & NON CONDUCTIVE FIXED PCB CARRIERS

Economical carriers for handling clinched SMD's, Soldered or bare boards of any Size.
Tapered slots to keep PCB's in taper position.
Easy to carry.
Size 458 mm x 140 mm
25 Slots
Black Colour for conductive. Art No.: APCR1-C
Grey Colour for non conductive. Art No.: APCR1-N
Packing : Fixed PCB Carrier are packed 5 pcs. in a box.



PCB Carrier Double Wide

PCB CARRIER DOUBLE WIDE

Two PCB Carriers can be connected with Aluminium connectors for very wide PCB's upto 600mm.

Conductive :
Art No.: APCR 1-WC
Non Conductive :
Art No.: APCR 1-WN



Art No.: **APCR 4 - C**
(Conductive Black)



Art No.: **APCR 4 - N**
(Non Conductive Grey)

It is a two side support PCB carrier of conductive or non conductive material for stronger card holding. Conductive PCB carrier are excellent PCB carrier for work benches. Easy to handle and does not occupy much space. Electrically conductive models are wholly earthed only by placing them on an earthed table.

- ▶ Holds boards on two contiguous edges.
- ▶ Nestable when not in use.
- ▶ Conductive PCB carrier in Black colour.
- ▶ Non conductive PCB carriers in Grey colour.
- ▶ Size : 207 x 273 x 95 mm.
- ▶ 25 grooves, 9mm Pitch, 3mm width.



Conductive Component Organiser

COMPONENT ORGANISER

Conductive Component Organiser provides systematic storage of electrostatic sensitive devices. It consists of a cabinet with 25 small drawers.

Size of Cabinet: 400mm x 250mm x 160mm

Size of the Drawers: 150mm x 75mm x 35mm.

Art No.: ACO 25 - C Conductive



**CONDUCTIVE / NONCONDUCTIVE
HINGED BOXES**

SMALL BOX / MEDIUM BOX

Two Sizes of hinged boxes are available in conductive and nonconductive Black Colour. Ideal for shipping and long term storage of sensitive devices.



APPBM-C

APPBS-C

1) Small Box: Size 180mm x 95mm x 22mm

Art No.: APPBS-C Conductive

2) Medium Box: Size 190mm x 120mm x 40mm

Art No.: APPBM -C Conductive



APSB-C

BIG BOX

Big size box with cover available in conductive and nonconductive plastic for protection of all sensitive devices.

Size: 333mm x 133mm x 40mm

Art No.: APSB -C Conductive



AWPBS-C

WASTE PAPER BIN- CONDUCTIVE

Excellent conductive waste paper bin for use in clean rooms.

Made from conductive polypropylene.

Art No.: AWPBS-C

Size	Top Dia	Bot. Dia	Height
Small	210 mm	170 mm	240 mm



Modular system is an ideal storage system for Electrostatic sensitive devices based on standard modules which can be interlocked and stacked one on top of each other.


The basic system is around four drawer sizes which can be interchanged in the ratio of : 1 : 2: 3: 4.

All cabinets can be supplied with / without central lock.





SPECIAL STOPPERS
Special stopper is provided to stop the drawers when opened fully. To remove drawer from the cabinet lift the drawer up & remove from cabinet.



INTERNAL SIZE OF DRAWERS

- AD1-C 360 mm x 265 mm x 16 mm
- AD2-C 360 mm x 265 mm x 39 mm
- AD3-C 360 mm x 265 mm x 62 mm
- AD4-C 360 mm x 265 mm x 87 mm
- AMS12-C Modular system with 12 AD1-C Drawers
- AMS6-C Modular system with 6 AD2-C Drawers
- AMS4-C Modular System with 4 AD3-C Drawers
- AMS3-C Modular System with 3 AD4-C Drawers

MIXED DRAWER SYSTEM

Modular System can be fitted with different size of drawers in the same cabinet. For example, One AD4-C drawers can be replaced by two AD2-C drawer or one AD1-C drawer and one AD3-C drawer

INDICATOR

Name plate can be changed by pushing out the paper from the indicator as shown.

BASE UNIT

Base unit can be used with casters to make a mobile unit. One or more base unite can be used (Joined by set of four dowels provided) under the Modular system to raise the cabinet from the floor. Height of base unit is 35mm.

CENTRAL LOCKING SYSTEM

Is provided OPTIONALLY. Product numbers for cabinet with locks will be AMS12L-C , AMS6L-C, AMS4L-C etc.

CONDUCTIVE UTILITY CONTAINERS : FOR STORAGE OF SMALL PARTS THREE SIZES OF CONTAINER IN BLACK COLOUR ARE AVAILABLE TO FIT IN AD3-C DRAWERS AND ONE SIZE TO FIT IN AD2-C DRAWER



SIZES OF CONTAINERS :

- Art No. UC1-C Size 82 x 82 x 55 mm
12 CONTAINERS FIT IN ONE AD3-C DRAWER
- Art No. UC2-C Size 170 x 82 x 55 mm
6 CONTAINERS FIT IN ONE AD3-C DRAWER
- Art No. UC3-C Size 255 x 82 x 55 mm
4 CONTAINERS FIT IN ONE AD3-C DRAWER
- Art No. UCD 2-C Size 258 x 85 x 37 mm with 2 partition
6 CONTAINERS FIT IN ONE AD2-C DRAWER



Art No.: AWS12060



Art No.: AWS12060 SP

Today's electronic manufacturers need a workstation designed to help reduce harmful discharges from reaching vulnerable parts and assemblies. Part of the overall solution is to have a workstation designed with the proper grounding system to dissipate any charge away from the product you're producing. Our custom made workstations are designed to withstand the toughest of environments, allow total flexibility for future upgrades and meet your organization's ESD needs.

Available in Standard size

ART NO.	SIZE
AWS 12060	Table Top Size 1200mm X 600mm over all height 1800mm
AWS 12060 SP	Table Top Size 1200mm X 600mm over all height 1500mm

Standard Features

- ▶ Workstation structure made from 20 x 40mm rectangular pipes of 18 Gauge.
- ▶ Available in powder coated grey colour.
- ▶ ESD Mat for table top with grounding cord.
- ▶ Universal spike protector 230V / 50Hz, 15 Amps with four sockets.
- ▶ Four conductive leveling screws for base with height adjustment facility.
- ▶ Foot rest for user convenience

Optional Accessories

- ▶ 28 W flicker free swivel Light.
- ▶ Louver panel.
- ▶ Conductive Bins as required.
- ▶ Writing & Felt Board as per requirement.
- ▶ Tool Tray with option of fitting on Left or Right side.
- ▶ Alkon Modular System with lock. 1 No. as per image above.

Work Station for Non ESD application also available

ALKON SUPRA BINS - CONDUCTIVE



Made from Conductive Polypropylene.

- ▶ Strong rear lip for use with louvred panels.
 - ▶ Strong heavy duty, with reinforced base side & stacking rim.
 - ▶ Resistant to most industrial solvents, withstands higher temperatures.
 - ▶ Clear access to contents.
 - ▶ All bins with identification card holder slots.
- Incorporates a safety stop feature in SB 4-C, SB 5-C, SB 6-C, at the back for use in shelves.
- Colour - BLACK.



Art No.	Outside Dimensions in mm			Inside Dimensions in mm		
	Length	Width	Height	Length	Width	Height
SB1-C	125	100	60	117	80	52
SB2-C	170	100	85	157	80	75
SB3-C	220	130	125	200	115	115
SB4-C	290	178	143	265	155	130
SB5-C	290	363	145	265	340	130
SB6-C	440	180	145	415	154	130
SB7X-C	435	400	215	405	360	208

All dimensions in mm approx.



SUPRA BIN PARTITIONS

Horizontal partition for SB4-C & SB6-C


Art No.: HP SB4/6-C

Vertical partition for SB4-C & SB5-C

Art No.: VP SB4/5-C

Vertical partition for SB6-C Art No.: VP SB6-C

Vertical partition for SB7-C Art No.: VP SB7-C



STACKING

Supra Bins are designed to be stacked one on top of each other.

LOUVRE PANELS

They are made from 1.5mm CRCA steel and are powder coated in grey colour. They come in four sizes. They can be fitted on walls or on stand on table with our special stands.

Art No.: SBLP1 Size 455 mm X 457mm

Art No.: SBLP2 Size 455mm X 610mm

Art No.: SBLP3 Size 455mm X 914mm

Art No.: SBLP6 Size 455mm X 1829mm

Different Types of Stands & Trolleys are available.



Louvre Panel
Mounted with Conductive Supra bins



PSB-401C

PSB-402C


PSB-403C

PSB-404C

PSB-405C

MADE FROM CONDUCTIVE POLYPROPYLENE

- ▶ Designed to fit roll post shelving systems.
- ▶ Five standard bin sizes to suit 400 mm deep shelving.
- ▶ Integral back stop for clear viewing of PANDA BIN contents.
- ▶ Dividers are notched to ensure positive location within the bins.
- ▶ PANDA BINS feature a small handle to allow maximum area of the front face for sticking identification labels.
- ▶ The PANDA BINS use a unique design for added strength.



BIN DIMENSIONS

SR NO.	ART NO.	Outer Dimensions			Inner Dimensions			No. Of Dividers with each bin	Effective Height	Std. Pack
		Length	Width	Height	Length	Width	Height			
1.	PSB-401C	415	100	60	393	86	55	3	55	24
2.	PSB-402C	415	100	110	393	86	105	2	105	24
3.	PSB-403C	415	150	110	393	136	105	2	105	12
4.	PSB-404C	415	220	135	393	210	130	2	130	12
5.	PSB-405C	415	300	135	393	282	130	2	130	6

All dimensions in mm Approx



Roll Post Shelving System




Integral back stop allows viewing of contents



Snap-in Divider Fitted in PANDA SHELF BIN



Door for panda shelving systems
www.alkonbins.com



Roll posts

Panda Shelving Systems have one-piece solid uprights with a rolled front edge for additional strength, safety and aesthetic appeal.

Roll posts are available in 1875 mm height which is suitable for 400mm deep shelves.

Shelves

Shelf levels are easily adjusted in 25mm increments and are held into position with the use of nuts / bolts Shelves are available in 400mm depth having 900mm width as standard.


Back plate

Back panel provide additional stability and prevents dust.



Kick plates

All shelving bays are fitted with solid kick plates, which prevent unwanted material to enter inside the base of the shelving unit and It looks aesthetically good.



Flexibility

Panda shelving systems are fully enclosed and are designed to suit your ever changing needs. The flexibility of the product accommodates additions or alterations at any stage, with a minimum of fuss or disruption to your day to day operation.

Finish

All Panda shelving components are manufactured in 0.8mm CRCA steel and are duly powder coated in light grey colour.



BINS / ROLL POSTS / BACK PLATES / SHELVES / DOORS can be ordered separately as per your requirement.

Panda Shelving Systems



ASU 26C

SHELVING UNIT SIZE

Height	Width	Depth
1875 mm	900 mm	400 mm

Shelf load Capacity as per the UDL
(UNIFORMLY DISTRIBUTED LOAD)

SHELF	Shelf Size in mm			UDL
	Depth	Width	Height	
ASUS 400	400	900	30	60 Kg.

All dimensions in mm approx.


STANDARD SIZE

System Depth (mm) 400
System Height (mm) 1875
System Width (mm) 900

BINS / SHELVING BODIES / SHELVES /

KICK PLATES / DOORS can be ordered separately
as per your requirement.

For details of doors please refer page No. 24



ASU 21C Shelving Unit Consists of

- ▶ 1 Set of ASUB 184 Shelving Body
- ▶ 19 Nos. Shelves - Art No.: ASUS 400
- ▶ 9 Nos. PSB-401C Bins on each shelf
- ▶ Total 162 Nos. PSB-401C Bins

SHELVING SYSTEMS ORDERING CHART

Shelving Unit Art No.	Shelving Body			Kick Plate Art No.: ASUKP	Shelves		Panda Shelf Bins		System Udl Uniform Distributed Load
	Art No.	Roll Post	Back Plate		Art No.	No. Of Shelves	Art No.	No. Of Bins	
ASU-26C	ASUB-184	2 Nos.	1 Set	1 No	ASUS 400	19 Nos.	PSB-401C	162 Nos.	1140 Kgs.
ASU-27C	ASUB-184	2 Nos.	1 Set	1 No	ASUS 400	13 Nos.	PSB-402C	108 Nos.	780 Kgs.
ASU-28C	ASUB-184	2 Nos.	1 Set	1 No	ASUS 400	13 Nos.	PSB-403C	72 Nos.	780 Kgs.
ASU-29C	ASUB-184	2 Nos.	1 Set	1 No	ASUS 400	11 Nos.	PSB-404C	40 Nos.	660 Kgs.
ASU-30C	ASUB-184	2 Nos.	1 Set	1 No	ASUS 400	11 Nos.	PSB-405C	30 Nos.	660 Kgs.



PSB-401C BIN SIZE

Length	Width	Height
--------	-------	--------

415 mm 100 mm 60 mm



ASU 27C

SHELVING UNIT SIZE

Height	Width	Depth
1875 mm	900 mm	400 mm



- ASU 27C Shelving Unit Consists of
- ▶ 1 Set of ASUB 184 Shelving Body
 - ▶ 13 Nos. Shelves - Art No.: ASUS 400
 - ▶ 9 Nos. PSB-402C Bins on each shelf
 - ▶ Total 108 Nos. PSB-402C Bins



PSB-402C BIN SIZE

Length	Width	Height
415 mm	100 mm	110 mm

ASU 28C

SHELVING UNIT SIZE

Height	Width	Depth
1875 mm	900 mm	400 mm



- ASU 28C Shelving Unit Consists of
- ▶ 1 Set of ASUB -184 Shelving Body
 - ▶ 13 Nos. Shelves - Art No.: ASUS- 400
 - ▶ 6 Nos. PSB-403C Bins on each shelf
 - ▶ Total 72 Nos. PSB-403C Bins



PSB-403C BIN SIZE

Length	Width	Height
415 mm	150 mm	110 mm

ASU 29C

SHELVING UNIT SIZE

Height	Width	Depth
1875 mm	900 mm	400 mm



- ASU 29C Shelving Unit Consists of
- ▶ 1 Set of ASUB 184 Shelving Body
 - ▶ 11 Nos. Shelves - Art No.: ASUS 400
 - ▶ 4 Nos. PSB-404C Bins on each shelf
 - ▶ Total 40 Nos. PSB-404C Bins



PSB-404C BIN SIZE

Length	Width	Height
415 mm	220 mm	135 mm

ASU 30C

SHELVING UNIT SIZE

Height	Width	Depth
1875 mm	900 mm	400 mm



- ASU 30C Shelving Unit Consists of
- ▶ 1 Set of ASUB 184 Shelving Body
 - ▶ 11 Nos. Shelves - Art No.: ASUS 400
 - ▶ 3 Nos. PSB-405C Bins on each shelf
 - ▶ Total 30 Nos. PSB-405C Bins



PSB-405C BIN SIZE

Length	Width	Height
415 mm	300 mm	135 mm

Versatile storage solutions for all needs



ALKON PLASTICS PVT. LTD.

AUTHORISED STOCKIST

Shreeram
metafusion
Eng's Pvt. Ltd.

For Product Details log on to www.shreeram-metafusion.com

Shop - 1, Gagangiri, Sector 17,
Vashi, Navi Mumbai - 400 703.
Tel.: 2789 1522 / 2789 1549
Fax : 6791 0552
Email : metafusion@vsnl.net
enquiry@shreeram-metafusion.com

STOCKIST

www.alkonbins.com

This Catalog should not be reproduced as it is covered under Copyright Act.